

ANALISI SISMICA A RIFRAZIONE

POSIZIONE DEGLI SPARI

Ascissa [m]	Quota [m]	Nome File
-19.00	0.00	port01.dat
0.00	0.00	port02.dat
24.00	0.00	port03.dat
48.00	0.00	port04.dat
67.00	0.00	port05.dat

POSIZIONE DEI GEOFONI E PRIMI ARRIVI

N.	Ascissa [m]	Quota [m]	FBP da -19 [ms]	FBP da 0 [ms]	FBP da 24 [ms]	FBP da 48 [ms]	FBP da 67 [ms]
1	1.00	0.00	30.42	1.19	34.37	47.80	60.05
2	3.00	0.00	31.60	2.37	33.19	47.01	59.26
3	5.00	0.00	33.58	4.35	31.60	46.22	58.07
4	7.00	0.00	36.35	10.67	30.81	45.04	56.49
5	9.00	0.00	38.72	16.59	29.23	44.25	54.52
6	11.00	0.00	39.51	24.10	26.86	42.27	53.73
7	13.00	0.00	40.69	27.26	25.28	41.09	52.54
8	15.00	0.00	41.09	28.44	24.10	39.11	52.15
9	17.00	0.00	41.88	30.02	16.99	37.53	51.75
10	19.00	0.00	42.67	31.21	7.11	35.16	50.57
11	21.00	0.00	43.46	32.00	5.53	31.60	50.17
12	23.00	0.00	43.70	32.79	1.25	30.02	49.38
13	25.00	0.00	45.43	33.58	1.50	29.23	47.80
14	27.00	0.00	47.01	34.37	5.53	27.26	45.83
15	29.00	0.00	48.20	36.35	8.69	26.86	43.85
16	31.00	0.00	49.38	37.93	15.41	26.07	41.88
17	33.00	0.00	50.96	39.11	18.96	24.49	39.90






18	35.00	0.00	52.15	39.51	22.12	20.54	38.32
19	37.00	0.00	53.33	40.69	23.70	15.01	36.74
20	39.00	0.00	54.12	41.48	26.07	12.25	33.98
21	41.00	0.00	55.70	43.06	26.86	8.69	32.00
22	43.00	0.00	56.49	43.85	28.00	5.93	30.42
23	45.00	0.00	57.68	44.64	30.25	4.74	28.84
24	47.00	0.00	59.65	45.83	31.75	1.19	27.26

DISTANZA DEI RIFRATTORI DAI GEOFONI


Geof.	Rifra. 1 [m]	Rifra 2 [m]	Geof.	Rifra. 1 [m]	Rifra 2 [m]
1	6.7	9.3	13	4.1	14.1
2	6.5	9.7	14	4.6	12.8
3	6.7	9.3	15	4.4	13.7
4	6.9	8.8	16	4.5	13.6
5	7.0	8.6	17	4.2	13.7
6	6.8	9.0	18	4.0	13.8
7	6.1	10.2	19	3.7	14.4
8	6.1	10.1	20	3.6	14.7
9	5.8	10.2	21	3.1	15.8
10	5.6	10.2	22	3.0	15.8
11	5.0	11.2	23	3.1	15.6
12	4.3	13.3	24	3.0	15.8

VELOCITA' DEGLI STRATI


N. Strato	Velocità [m/s]
1	572.3
2	1402.6
3	2099.9



DROMOCRONE ORIGINALI




DROMOCRONE TRASLATE




www.geofissoft.com

PROFONDITA' RIFRATTORI



SEZIONE VERTICALE



572.3 m/s 1402.6 m/s 2099.9 m/s